

## Outlineoffungi.org – Note 1586 [Lignyidium](#)

**Web-links:** [Index Fungorum](#), [Facesoffungi](#), [Mycobank](#), [GenBank](#)

### [Lignyidium](#) Link

The genus was first introduced by Link (1809) for *L. griseoflavum* (= *Fuligo muscorum*). *Lignyidium* was re-erected by García-Martín et al. (2023) to accommodate *L. muscorum*, which is not closely related to any other *Fuligo* species. According to the most recent phylogeny of *Physarales*, *Lignyidium muscorum* is most closely related to *Kelleromyxa* (García-Martín et al. 2023).

### References

[García-Martín J, Zamora JC, Lado C. 2023 – Multigene phylogeny of the order \*Physarales\* \(\*Myxomycetes\*, \*Amoebozoa\*\): shedding light on the dark-spored clade. \*Persoonia - Molecular Phylogeny and Evolution of Fungi\* 51, 89–124.](#)

Link HF. 1809 – Der Gesellschaft Naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesammten Naturkunde 3(1), 24.

### Entry by

**Anna Ronikier**, W. Szafer Institute of Botany, Polish Academy of Sciences, Lubicz 46, 31-512 Kraków, Poland,

**Paulina Janik**, W. Szafer Institute of Botany, Polish Academy of Sciences, Lubicz 46, 31-512 Kraków, Poland.

Published online 23 September 2024