

## Outlineoffungi.org - Note 1252 *Cudoniella*

**Web-links:** [Index Fungorum](#), [Facesoffungi](#), [Mycobank](#), [GenBank](#)

### *Cudoniella* Sacc.

The type species of *Cudoniella*, *C. queletii*, was accepted as a synonym of *C. acicularis* by Dennis (1964), following Boudier (1907). An ITS sequence from a specimen identified as *C. acicularis* (GenBank DQ202512, culture CBS 100273), places the genus in *Tricladiaceae* (Johnston & Baschien 2020).

### References

- Boudier É. 1907 – *Histoire et Classification des Discomycètes d'Europe*. Librairie des Sciences Naturelles, Paris.
- Dennis RWG. 1964 – Remarks on the genus *Hymenoscyphus* S.F. Gray, with observations on sundry species referred by Saccardo and others to the genera *Helotium*, *Pezizella* or *Phialea*. *Persoonia* 3, 29–80.
- Johnston PR, Baschien C. 2020 – *Tricladiaceae* fam. nov. (*Helotiales*, *Leotiomycetes*). *Fungal Systematics and Evolution* 6, 233–242.

### Entry by

**P.R. Johnston**, Manaaki Whenua – Landcare Research, Private Bag 92170, Auckland 1142, New Zealand

(Edited by **Maryam Tavakol Noorabadi**)

Published online 16 May 2024