

## Outlineoffungi.org - Note 672 *Magnuscella*

**Web-links:** [Index Fungorum](#), [Facesoffungi](#), [MycoBank](#)

***Magnuscella*** Y.S. Anteneh, M.H. Brown & C.M.M. Franco

*Magnuscella* was introduced by [Anteneh et al. \(2019\)](#), typified by *Magnuscella marina* which was isolated from a marine sponge. These species are considered as symbiotic with living host and favour to grow under extreme environmental conditions with some degree of salt ([Anteneh et al. 2019](#)). *Magnuscella* is characterized by bicellular, branched, thick-walled, smooth and aseptate hyphae with aggregated masses of conidia and conidiogenous cells with chains of conidia. According to phylogenetic analysis of ITS and LSU regions *Magnuscella* is closely related to genera in *Teratosphaeriaceae* (*Eupenidiella* and *Hortaea*) and *Mycosphaerellaceae* (*Stenella*) in *Capnodiales* ([Anteneh et al. 2019](#)).

### Reference

Anteneh YS, Brown MH, Franco CMM. 2019 – Characterization of a Halotolerant Fungus from a Marine Sponge. *BioMed Research International* (no. 3456164), 3. <https://doi.org/10.1155/2019/3456164>

### Entry by

**Diana S Marasinghe**, Center of Excellence in Fungal Research, Mae Fah Luang University, Chiang Rai, Thailand

(Edited by: **Kevin D. Hyde & Chayanard Phukhamsakda**)

Published online 8 December 2022