

Outlineoffungi.org - Note 723 [Teunia](#)

Web-links: [Index Fungorum](#), [Facesoffungi](#), [MycoBank](#)

[Teunia](#) Q.M. Wang & F.Y. Bai

Species of [Teunia](#) are found on phylloplane and soil ([Li et al. 2020](#)). The phylogenetic analyses based on seven markers (SSU, ITS, LSU, *rpb1*, *rpb2*, *tef1* and *cytb*), indicated its phylogenetic position in *Cryptococcaceae* (*Tremellales*, *Tremellomycetes*, *Basidiomycota*). The type species [Teunia korlaensis](#) Q. M. Wang, F. Y. Bai & A. H. Li. was collected from soil in China ([Li et al. 2020](#)). The genus is characterized by cream coloured to yellow, butyrous to mucoid colonies, presence of budding cells and absence of pseudohyphae, hyphae and ballistoconidia ([Li et al. 2020](#)). The sexual morph is unknown. This genus contains seven species ([Li et al. 2020](#)).

Reference

Li AH, Yuan FX, Groenewald M, Bensch K, Yurkov AM, Li K, Han PJ, Guo LD, Aime MC, Sampaio JP, Jindamorakot S, Turchetti B, Inacio J, Fungsin B, Wang QM, Bai FY. 2020 – Diversity and phylogeny of basidiomycetous yeasts from plant leaves and soil: Proposal of two new orders, three new families, eight new genera and one hundred and seven new species. *Studies in Mycology* 96, 17–140.
<https://doi.org/10.1016/j.simyco.2020.01.002>

Entry by

Mendes-Alvarenga RL, Departamento de Micologia, Centro de Biociências Universidade Federal de Pernambuco (UFPE), Recife, Brazil

(Edited by **Kevin D Hyde & Rekhani Hansika Perera**)

Published online 14 December 2022